


Cathedral City, California Vertical Control Network



CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **101**

Name: **MT VIEW / VARNER**


Monument Description: GPS Useable: Yes
Set Cathedral City bronze disk in concrete monument
Stamping: 101 1996
Center Mark: Punch mark
Recovery By: RBF **Date:** Nov 1996

Location:

At the northerly corner of the intersection of Mt. View Rd and Varner Rd

Approximately 20 ft from edges of pavement

Notes:



NAD 83 Coordinates				Epoch:	Accuracy: Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	53	10.00000	Northing:			
Longitude	116	28	34.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	206.167	676.400	1991.5	RBF	March 1997	Second, I
NGVD29:		674.110		RBF	March 1997	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **102**

Name: **EDOM HILL / VARNER**

Monument Description: GPS Useable: Yes
Set Cathedral City bronze disk in concrete monument

Stamping: 102 1996

Center Mark: Punch mark

Recovery By: RBF


Date: Nov 1996

Location:

At the easterly corner of the intersection of Edom Hill Rd and Varner Rd

Approximately 20 ft from edges of pavement

Notes:



NAD 83 Coordinates				Epoch:	Accuracy: Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	52	37.00000	Northing:			
Longitude	116	27	51.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	178.882	586.880	1991.5	RBF	March 1997	Second, I
NGVD29:		584.580		RBF	March 1997	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **103**

Name: **EDOM HILL @ LANDFILL**

Monument Description: GPS Useable:

Set Cathedral City bronze disk in concrete monument

Stamping: 103 1996

Center Mark: Punch mark

Recovery By: RBF


Date: Nov 1996

Location:

On the southeasterly side of Edom Hill Rd 0.5 mi northeasterly of Varner Rd

Approximately 20 ft from edge of pavement

Notes:



NAD 83 Coordinates				Epoch:	Accuracy: Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	52	51.00000	Northing:			
Longitude	116	27	51.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	266.142	873.170	1991.5	RBF	March 1997	Second, I
NGVD29:		870.870		RBF	March 1997	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **104**
Name: **FLAT TOP MT**

Monument Description: GPS Useable: Poor
Set Cathedral City bronze disk in concrete footing


Stamping: 104 1996
Center Mark: Punch mark
Recovery By: RBF Date: Nov 1996

Location:

In the southeasterly corner of a dirt road and slurrysealed access road, 150 ft southeasterly of a transmission tower near the corner of sections 29, 28, 33, 32 T.3S. R.5E.
Approximately 10 ft south of slurry sealed access road

Notes:

Transmission lines overhead



NAD 83 Coordinates				Epoch:	Accuracy: Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	52	24.00000	Northing:			
Longitude	116	28	31.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	194.075	636.730	1991.5	RBF	March 1997	Second, I
NGVD29:		634.430		RBF	March 1997	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **105**

Name: **DATE PALM @ VARNER**

Monument Description: GPS Useable: Yes
Set Cathedral City bronze disk in concrete headwall

Stamping: 105 1996

Center Mark: Punch mark

Recovery By: RBF


Date: Nov 1996

Location:

On the easterly side of Date Palm Dr
approximately 150 ft southerly of Varner Rd

Center of concrete headwall approximately 25 ft
easterly and 5 ft below the roadway

Notes:



NAD 83 Coordinates				Epoch:	Accuracy:	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	51	36.00000	Northing:			
Longitude	116	27	24.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	144.353	473.600	1991.5	RBF	March 1997	Second, I
NGVD29:		471.280		RBF	March 1997	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **106**
Name: **SPRR MP 592.1**

Monument Description: GPS Useable: No
Set Cathedral City bronze disk in concrete monument
Stamping: 106 1996
Center Mark: Punch mark
Recovery By: RBF **Date:** Nov 1996


Location:

On the north side of the Southern Pacific Rail Road 2.5 mi. northwesterly of Date Palm Dr

At northerly prolongation of dirt trail leading to railroad 1.3 mi. northerly of Vista Chino

Notes:

Trees to northeast and southwest



NAD 83 Coordinates				Epoch:	Accuracy:	Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				Horizontal Coordinates			CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds				Meters	US Survey Feet
Latitude	33	51	55.00000	Northing:				
Longitude	116	29	19.00000	Easting:				
Ellipse Height (m):							Grid Scale:	
							Height Scale:	
							Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	154.805	507.890	1991.5	RBF	March 1997	Second, I
NGVD29:		505.580		RBF	March 1997	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **107**
Name: **SPRR MP 593.4**

Monument Description: GPS Useable: No
Set Cathedral City bronze disk in concrete footing

Stamping: 107 1996
Center Mark: Punch mark
Recovery By: RBF Date: Nov 1996


Location:

On the south side of the Southern Pacific Rail
Road 1.2 mi. northwesterly of Date Palm Dr

On the northwest side of signal building

Notes:

Trees to northeast and southwest



NAD 83 Coordinates				Epoch:	Accuracy: Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	51	21.00000	Northing:			
Longitude	116	28	29.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	131.264	430.650	1991.5	RBF	March 1997	Second, I
NGVD29:		428.330		RBF	March 1997	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **108**

Name: **DATE PALM @ SPRR**

Monument Description: GPS Useable: Yes
Set Cathedral City bronze disk in concrete bridge abutment

Stamping: 108 1996

Center Mark: Punch mark

Recovery By: RBF


Date: Nov 1996

Location:

At the southwesterly corner of bridge over Southern Pacific Rail Road on Date Palm Dr

In walkway over bridge abutment approximately 500 ft north of Vista Chino Rd

Notes:



NAD 83 Coordinates				Epoch:	Accuracy: Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	50	48.00000	Northing:			
Longitude	116	27	31.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	127.146	417.140	1991.5	RBF	March 1997	Second, I
NGVD29:		414.820		RBF	March 1997	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **109**

Name: **VARNER / FAA RADAR**

Monument Description: GPS Useable: Yes
Set Cathedral City bronze disk in concrete monument

Stamping: 109 1996

Center Mark: Punch mark

Recovery By: RBF


Date: Nov 1996

Location:

At the northwesterly corner of Varner Rd and FAA Radar Rd

Approximately 20 ft from edges of pavement and 1.1 mi southeasterly of Varner Rd

Notes:



NAD 83 Coordinates				Epoch:	Accuracy: Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	51	2.00000	Northing:			
Longitude	116	26	35.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	138.074	453.000	1991.5	RBF	March 1997	Second, I
NGVD29:		450.680		RBF	March 1997	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **110**

Name: **LANDAU / VISTA CHINO**

Monument Description: GPS Useable: Yes
Set Cathedral City bronze disk in concrete slab

Stamping: 110 1996

Center Mark: Punch mark

Recovery By: RBF


Date: Nov 1996

Location:

At the northeast corner of Landau Blvd and Vista Chino

Approximately 40 ft northerly from Vista chino

Notes:



NAD 83 Coordinates				Epoch:	Accuracy: Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	50	43.00000	Northing:			
Longitude	116	28	33.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	128.003	419.960	1991.5	RBF	March 1997	Second, I
NGVD29:		417.630		RBF	March 1997	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **111**

Name: **WHITEWATER / VISTA CHINO**

Monument Description: GPS Useable: Yes
Set Cathedral City bronze disk in concrete bridge wingwall

Stamping: 111 1996

Center Mark: Punch mark

Recovery By: RBF


Date: Nov 1996

Location:

Approximately 40 ft southeasterly of the southeasterly corner of bridge over the Whitewater River on Vista Chino

In the top of the concrete slope paving on easterly side of river southerly of Vista Chino

Notes:



NAD 83 Coordinates				Epoch:	Accuracy: Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	50	40.00000	Northing:			
Longitude	116	29	37.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	136.641	448.300	1991.5	RBF	March 1997	Second, I
NGVD29:		445.980		RBF	March 1997	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **112**
Name: **LANDAU / 30TH**


Monument Description: GPS Useable: Yes
Set Cathedral City bronze disk in concrete monument
Stamping: 112 1996
Center Mark: Punch mark
Recovery By: RBF Date: Nov 1996

Location:

At the northeasterly corner of Landau Blvd and 30th Ave

Approximately 20 ft from edges of pavement

Notes:



NAD 83 Coordinates				Epoch:	Accuracy: Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	49	51.00000	Northing:			
Longitude	116	28	31.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	119.629	392.480	1991.5	RBF	March 1997	Second, I
NGVD29:		390.150		RBF	March 1997	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **113**

Name: **DATE PALM / 30TH**

Monument Description: GPS Useable: Yes
Set Cathedral City bronze disk in concrete monument

Stamping: 113 1996

Center Mark: Punch mark

Recovery By: RBF


Date: Nov 1996

Location:

At the northeasterly corner of Date Palm Dr and 30th Ave

Approximately 20 ft from edges of pavement

Notes:



NAD 83 Coordinates				Epoch:	Accuracy: Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	49	50.00000	Northing:			
Longitude	116	27	29.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	114.247	374.820	1991.5	RBF	March 1997	Second, I
NGVD29:		372.490		RBF	March 1997	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **114**

Name: **DAVALL / 30TH**

Monument Description: GPS Useable: Yes
Set Cathedral City bronze disk in concrete monument

Stamping: 114 1996

Center Mark: Punch mark

Recovery By: RBF

Date: Nov 1996

Location:

At the northeasterly corner of Davall Rd and 30th Ave

Notes:



Looking Easterly

NAD 83 Coordinates				Epoch:	Accuracy: Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	49	51.00000	Northing:			
Longitude	116	26	26.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	99.518	326.500	1991.5	RBF	March 1997	Second, I
NGVD29:		324.160		RBF	March 1997	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **115**

Name: **DAVALL / RAMON**


Monument Description: GPS Useable: Yes
Set Cathedral City bronze disk in concrete monument
Stamping: 115 1996
Center Mark: Punch mark
Recovery By: RBF **Date:** Nov 1996

Location:

At the northeasterly corner of Davall Rd and Ramon Rd

Approximately 20 ft from edges of pavement

Notes:



NAD 83 Coordinates				Epoch:	Accuracy: Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	48	59.00000	Northing:			
Longitude	116	26	26.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	106.133	348.200	1991.5	RBF	March 1997	Second, I
NGVD29:		345.860		RBF	March 1997	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **116**

Name: **DATE PALM / RAMON**

Monument Description: GPS Useable: Yes
Set Cathedral City bronze disk in concrete monument

Stamping: 116 1996

Center Mark: Punch mark

Recovery By: RBF


Date: Nov 1996

Location:

At the northeasterly corner of Date Palm Dr and Ramon Rd

Approximately 20 ft from edges of pavement

Notes:



NAD 83 Coordinates				Epoch:	Accuracy: Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	48	58.00000	Northing:			
Longitude	116	27	28.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	110.714	363.230	1991.5	RBF	March 1997	Second, I
NGVD29:		360.890		RBF	March 1997	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **117**

Name: **RAMON /WHITEWATER**

Monument Description: GPS Useable: Yes
Set Cathedral City bronze disk in concrete bridge abutment

Stamping: 117 1996

Center Mark: Punch mark

Recovery By: RBF


Date: Nov 1996

Location:

At the southeasterly corner of bridge over Whitewater River on Ramon Rd

In walkway over bridge abutment approximately 500 ft west of Landau Blvd

Notes:



NAD 83 Coordinates				Epoch:	Accuracy: Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	48	57.00000	Northing:			
Longitude	116	28	34.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	113.888	373.650	1991.5	RBF	March 1997	Second, I
NGVD29:		371.300		RBF	March 1997	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **118**

Name: **SAN LUIS REY / RAMON**

Monument Description: GPS Useable: Yes
Set Cathedral City bronze disk in concrete inlet box

Stamping: 118 1996

Center Mark: Punch mark

Recovery By: RBF


Date: Nov 1996

Location:

At the northeasterly corner of San Luis Rey Dr and Ramon Rd

In the north end of inlet box 50 ft north of Ramon Rd

Notes:



NAD 83 Coordinates				Epoch:	Accuracy:	Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>			CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds				Meters	US Survey Feet
Latitude	33	48	58.00000	Northing:				
Longitude	116	29	19.00000	Easting:				
Ellipse Height (m):							Grid Scale:	
							Height Scale:	
							Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	113.978	373.940	1991.5	RBF	March 1997	Second, I
NGVD29:		371.580		RBF	March 1997	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **119**

Name: **DINAH SHORE / SKYBLUE**

Monument Description: GPS Useable: Yes
Set Cathedral City bronze disk in concrete inlet box

Stamping: 119 1996

Center Mark: Punch mark

Recovery By: RBF


Date: Nov 1996

Location:

On the south side of Dinah Shore Dr at the intersection with Sky Blue Water Tr

In the east end of inlet box

Notes:



NAD 83 Coordinates				Epoch:	Accuracy: Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	48	4.00000	Northing:			
Longitude	116	28	12.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	99.961	327.960	1991.5	RBF	March 1997	Second, I
NGVD29:		325.580		RBF	March 1997	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **120** **RESET**
Name: **DATE PALM / DINAH SHORE**

Monument Description: GPS Useable: Yes
Set Cathedral City bronze disk in concrete signal
box footing

Stamping: 120 R 1996

Center Mark: Punch mark

Recovery By: JHA

Date: Sept 2000

Location:

At the northwest corner of Date Palm Dr and
Dinah Shore Dr

West side of traffic signal control box in island

Notes:



Looking Northerly

NAD 83 Coordinates				Epoch:	Accuracy: Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	48	6.00000	Northing:			
Longitude	116	27	30.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	101.243	332.780	1991.5	JHA	Sept 2000	Second, I
NGVD29:		330.410		JHA	Sept 2000	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **121**

Name: **DAVALL / DINAH SHORE**

Monument Description: GPS Useable: Yes
Set Cathedral City bronze disk in concrete inlet box

Stamping: 121 1996

Center Mark: Punch mark

Recovery By: RBF


Date: Nov 1996

Location:

At the southwest corner of Davall Dr and Dinah Shore Dr

In the north end of inlet box 15 ft south of the PCR

Notes:



NAD 83 Coordinates				Epoch:	Accuracy: Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	48	5.00000	Northing:			
Longitude	116	26	27.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	105.681	346.720	1991.5	RBF	March 1997	Second, I
NGVD29:		344.370		RBF	March 1997	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **122**

Name: **DAVALL / GERALD FORD**

Monument Description: GPS Useable: Yes
Set Cathedral City bronze disk in concrete inlet box

Stamping: 122 1996

Center Mark: Punch mark

Recovery By: RBF


Date: Nov 1996

Location:

At the southeast corner of Davall Dr and Gerald Ford Dr

In the east end of inlet box 15 ft east of PCR

Notes:



NAD 83 Coordinates				Epoch:	Accuracy: Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	47	13.00000	Northing:			
Longitude	116	26	27.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	84.730	277.990	1991.5	RBF	March 1997	Second, I
NGVD29:		275.620		RBF	March 1997	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **123**

Name: **DATE PALM / WHITEWATER**

Monument Description: GPS Useable: Yes
Set Cathedral City bronze disk in concrete bridge abutment

Stamping: 123 1996

Center Mark: Punch mark

Recovery By: RBF


Date: Nov 1996

Location:

At the westerly corner of bridge over the Whitewater River on the west side of Date Palm Dr

In walkway over bridge abutment

Notes:



NAD 83 Coordinates				Epoch:	Accuracy: Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	47	5.00000	Northing:			
Longitude	116	27	30.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	92.336	302.940	1991.5	RBF	March 1997	Second, I
NGVD29:		300.550		RBF	March 1997	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **124**

Name: **WHITEWATER / CATHEDRAL**

Monument Description: GPS Useable: Yes

Set Cathedral City bronze disk in concrete inlet box

Stamping: 124 1996

Center Mark: Punch mark

Recovery By: RBF


Date: Nov 1996

Location:

On the west side of Cathedral Canyon Dr near the center of the Whitewater River

In the north end of inlet box

Notes:



NAD 83 Coordinates				Epoch:	Accuracy: Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	47	26.00000	Northing:			
Longitude	116	28	2.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	91.392	299.840	1991.5	RBF	March 1997	Second, I
NGVD29:		297.440		RBF	March 1997	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **125**

Name: **HWY 111 @ GOLF CLUB**

Monument Description: GPS Useable: Yes
Set Cathedral City bronze disk in concrete inlet box

Stamping: 125 1996

Center Mark: Punch mark

Recovery By: RBF


Date: Nov 1996

Location:

On the north side of Highway 111 approximately
100 ft easterly of Golf Club Dr

In the east end of inlet box

Notes:



NAD 83 Coordinates				Epoch:	Accuracy: Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	47	28.00000	Northing:			
Longitude	116	29	10.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	99.791	327.400	1991.5	RBF	March 1997	Second, I
NGVD29:		325.010		RBF	March 1997	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **126** **RESET**
Name: **CATHEDRAL CANYON /CIVIC CENTER NORTH**

Monument Description: GPS Useable: Yes

Set Cathedral City bronze disk in concrete headwall

Stamping: 126R 1996

Center Mark: Punch mark

Recovery By: RBF Date: Oct 1998

Location:

On the top of a concrete headwall on the east side of Cathedral Canyon Dr. on the south side of flood control channel

0.1 mmi. North of Commercial Rd

Notes:



NAD 83 Coordinates				Epoch:	Accuracy: Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	46	53.00000	Northing:			
Longitude	116	28	0.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	91.728	300.950	1991.5	RBF	October 1998	Second, I
NGVD29:		298.526		RBF	October 1998	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003


Number: **127**
Name: **HWY 111 @ SUNGATE**

Monument Description: GPS Useable: Yes
Set Cathedral City bronze disk in concrete collar around sewer manhole
Stamping: 127 1996
Center Mark: Punch mark
Recovery By: RBF Date: Nov 1996

Location:

On the northeast side of Highway 111 at the intersection with Sungate Wy

Notes:



NAD 83 Coordinates				Epoch:		Accuracy: Scaled		Survey by:		Adj.:	
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>				CCS 83, Zone 6 Coordinates			
	Deg.	Min.	Seconds					Meters		US Survey Feet	
Latitude	33	46	37.00000					Northing:			
Longitude	116	27	16.00000					Easting:			
Ellipse Height (m):								Grid Scale:			
								Height Scale:			
								Combined Factor:			

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	87.472	286.980	1991.5	RBF	March 1997	Second, I
NGVD29:		284.590		RBF	March 1997	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **128**

Name: **HWY 111 / AUTO PARK**

Monument Description: GPS Useable: Yes
Set Cathedral City bronze disk in concrete inlet box

Stamping: 128 1996

Center Mark: Punch mark

Recovery By: RBF


Date: Nov 1996

Location:

On the northeast side of Highway 111 southeast of Auto Park Dr

In the east end of inlet box

Notes:



NAD 83 Coordinates				Epoch:	Accuracy:	Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				Horizontal Coordinates			CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds				Meters	US Survey Feet
Latitude	33	47	2.00000	Northing:				
Longitude	116	28	26.00000	Easting:				
Ellipse Height (m):							Grid Scale:	
							Height Scale:	
							Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	93.241	305.910	1991.5	RBF	March 1997	Second, I
NGVD29:		303.500		RBF	March 1997	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **129**

Name: **DORN / TERRACE**


Monument Description: GPS Useable: Yes
Set Cathedral City bronze disk in concrete monument
Stamping: 129 1996
Center Mark: Punch mark
Recovery By: RBF **Date:** Nov 1996

Location:

At the southeast corner of Dorn Rd and Terrace Rd

Approximately 10 ft from edges of pavement

Notes:



NAD 83 Coordinates				Epoch:	Accuracy: Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	46	21.00000	Northing:			
Longitude	116	28	8.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	136.287	447.130	1991.5	RBF	March 1997	Second, I
NGVD29:		444.690		RBF	March 1997	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **130**
Name: **ELNA / CARROL**


Monument Description: GPS Useable: Yes
Set Cathedral City bronze disk in concrete monument
Stamping: 130 1996
Center Mark: Punch mark
Recovery By: RBF Date: Nov 1996

Location:

At the northeast corner of Elna Wy and Carrol Dr

Approximately 10 ft from edges of pavement

Notes:



NAD 83 Coordinates				Epoch:	Accuracy: Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	45	48.00000	Northing:			
Longitude	116	28	44.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	205.677	674.790	1991.5	RBF	March 1997	Second, I
NGVD29:		672.370		RBF	March 1997	Second, II


CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **131**
Name: **SPRR @ DA VALL**

Monument Description: GPS Useable: No
Set Cathedral City bronze disk in concrete monument
Stamping: 131 1996
Center Mark: Punch mark
Recovery By: RBF **Date:** Nov 1996
Location:
On the north side of the Southern Pacific Railroad at the northerly prolongation of Da Vall Dr
Notes:
Trees to northeast and southwest



NAD 83 Coordinates				Epoch:	Accuracy: Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				Horizontal Coordinates		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	50	16.00000	Northing:			
Longitude	116	26	33.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	94.563	310.250	1991.5	RBF	March 1997	Second, I
NGVD29:		307.910		RBF	March 1997	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **132**

Name: **DATE PALM / I-10**

Monument Description: GPS Useable: Yes
Set Cathedral City brass disk in concrete bridge abutment

Stamping: 132 1996

Center Mark: Punch mark


Recovery By: RBF

Date: Nov 1996

Location:

At the northeast corner of the bridge on Date Palm Dr over Interstate Route 10

Notes:



NAD 83 Coordinates				Epoch:	Accuracy: Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	50	58.00000	Northing:			
Longitude	116	27	30.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	131.169	430.340	1991.5	RBF	March 1997	Second, I
NGVD29:		428.020		RBF	March 1997	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **158**
Name: **RM 12**

Monument Description: GPS Useable: No
2.5" City Rcho Mirage bronze disk in top of curb

Stamping: RM 12

Center Mark: None

Recovery By: JFD

Date: 1985

Location:

Southwest return on Frank Sinatra Dr at north entrance to Rancho Mirage Country Club

0.5 mi east of Bob Hope Dr; 6.6 ft south of southerly PCR

Notes:



Looking North

NAD 83 Coordinates		Epoch:	1986	Accuracy:	Scaled	Survey by:	RBF	Adj.:	Aug 1995
Ellipsoidal Coordinates, GRS 80				Horizontal Coordinates		CCS 83, Zone 6 Coordinates			
	Deg.	Min.	Seconds			Meters	US Survey Feet		
Latitude	33	46	19.50000			Northing:	678,059.000	2,224,598.00	
Longitude	116	23	55.90000			Easting:	1,986,210.000	6,516,425.00	
Ellipse Height (m):		52.000				Grid Scale:			
						Height Scale:			
						Combined Factor:			

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	85.886	281.780	1991.5	RBF	Aug 1995	Second, I
NGVD29:		279.523		JFD	1985	Unknown

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **166**
Name: **603 37**

Monument Description: GPS Useable: No
3" County Riv. bronze disk in concrete monument

Stamping: 603 37 68

Center Mark: Circle

Recovery By: RBF

Date: June 1995

Location:

253 ft northwest of the side of Washington St
along SP Railroad 0.1 mi north of Country Club Dr

42 ft southwest of the center of tracks, 25 ft
northeast of tamarisk trees, and 1.4 ft northeast of
wooden guard post

Notes:

Tall eucalyptus trees to the west and southwest



Looking East

NAD 83 Coordinates				Epoch: 1991.35		Accuracy: Approx		Survey by: RBF		Adj.: Aug 1995	
Ellipsoidal Coordinates, GRS 80					<u>Horizontal Coordinates</u>				CCS 83, Zone 6 Coordinates		
	Deg.	Min.	Seconds					Meters	US Survey Feet		
Latitude	33	45	34.65999	Northing:				676,667.944	2,220,034.75		
Longitude	116	18	10.20001	Easting:				1,995,105.388	6,545,608.26		
Ellipse Height (m):		-0.652							Grid Scale:	0.99998166	
									Height Scale:	1.000000102	
									Combined Factor:	0.999981763	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	32.272	105.879	1991.5	NGS	June 1991	First, II
NGVD29:		103.651		Co. Riv.	Unknown	Unknown

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **167**
Name: **603 38**

Monument Description: GPS Useable:
3" County Riv. bronze disk in concrete monument

Stamping: 603 38 68

Center Mark: Circle

Recovery By: NGS

Date: 1988

Location:

259 ft south of the center of Avenue 39, 45 ft west
of the center of Washington St

11 ft southwest of power pole

Notes:

NAD 83 Coordinates				Epoch:		Accuracy: Scaled		Survey by: NGS		Adj.: June 1991	
Ellipsoidal Coordinates, GRS 80					<u>Horizontal Coordinates</u>				CCS 83, Zone 6 Coordinates		
	Deg.	Min.	Seconds					Meters	US Survey Feet		
Latitude	33	46	21.00000	Northing:				0.000	0.00		
Longitude	116	18	15.00000	Easting:				0.000	0.00		
Ellipse Height (m):		0.000							Grid Scale:		
									Height Scale:		
									Combined Factor:		

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	33.662	110.302	1991.5	NGS	June 1991	First, II
NGVD29:		108.225		NGS	June 1991	Unknown

City of Cathedral City

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **501**

Name: **603 57**

Monument Description: GPS Useable: Yes
3" Co Riverside bronze disk in concrete post

Stamping: B.M. 603.57.68

Center Mark:

Recovery By: RBF

Date: Nov 1996

Location:

On the north side of Dillon Rd approximately 250 ft east of Long Canyon Rd

Notes:



NAD 83 Coordinates		Epoch:	1986	Accuracy:	Scaled	Survey by:	NGS	Adj.:	June 1991
Ellipsoidal Coordinates, GRS 80				Horizontal Coordinates		CCS 83, Zone 6 Coordinates			
	Deg.	Min.	Seconds			Meters	US Survey Feet		
Latitude	33	55	31.00000	Northing:					
Longitude	116	27	26.00000	Easting:					
Ellipse Height (m):						Grid Scale:			
						Height Scale:			
						Combined Factor:			

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	295.546	969.640	1991.5	NGS	June 1991	First, II
NGVD29:		967.380		NGS	June 1991	Unknown

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **502**
Name: **603 58**

Monument Description: GPS Useable: Yes
3" Co Riverside bronze disk in concrete post

Stamping: B.M. 603.58.68

Center Mark:


Recovery By: RBF

Date: Nov 1996

Location:

On the north side of Dillon Rd approximately 250 ft east of Mountain View Rd

Notes:



NAD 83 Coordinates	Epoch: 1986	Accuracy: Scaled	Survey by: NGS	Adj.: June 1991
Ellipsoidal Coordinates, GRS 80				Horizontal Coordinates
	Deg.	Min.	Seconds	
Latitude	33	55	30.00000	Northing:
Longitude	116	28	28.00000	Easting:
Ellipse Height (m):				Grid Scale:
				Height Scale:
				Combined Factor:

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	278.299	913.050	1991.5	NGS	June 1991	First, II
NGVD29:		910.790		NGS	June 1991	Unknown

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **600**

Name: **A-8**

Monument Description: GPS Useable:
3" Co Riverside aluminum disk in concrete curb

Stamping: BM-A-8 RESET 1981

Center Mark:

Recovery By: RBF


Date: Jan 1997

Location:

At the northwest corner of Palm Raquetball and Fitness Center near the intersection of Landau and Ramon Rd

102 ft easterly of Landau and 147 ft southerly of Ramon Rd

Notes:



NAD 83 Coordinates				Epoch:	Accuracy: Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	48	58.00000	Northing:			
Longitude	116	28	28.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	109.909	360.590	1991.5	RBF	March 1997	Second, I
NGVD29:		358.250		Co Riverside	Oct 1981	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **601**
Name: **PD 41 RESET**


Monument Description: GPS Useable:
Co Riverside brass disk in concrete monument

Stamping: PD-41 RESET 1971
Center Mark:
Recovery By: RBF Date: Jan 1997

Location:
On the southerly side of S.P.R.R. at Mile Post 5933

40 ft southerly of rails 0.2 mi westerly of power line crossing, and 2 mi westerly of Palm Dr

Notes:



NAD 83 Coordinates				Epoch:	Accuracy: Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	51	37.00000	Northing:			
Longitude	116	28	52.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	139.089	456.330	1991.5	RBF	March 1997	Second, I
NGVD29:		454.010		RBF	March 1997	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **602**

Name: **F 753 RESET**

Monument Description: GPS Useable: No
3.75" USC&GS bronze disk in concrete slab

Stamping: F 753 (USE) RESET

Center Mark: Line and hash

Recovery By: RBF


Date: Nov 1996

Location:

At the southerly entrance to Palm Springs City Hall offices

Approximately 200 ft north of Tahquitz Canyon Wy and 400 ft west of El Cielo Rd

Notes:



NAD 83 Coordinates				Epoch:	Accuracy: Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				Horizontal Coordinates		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	49	26.00000	Northing:			
Longitude	116	30	43.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	128.820	422.640		NGS	1957 (Vertcon)	Second
NGVD29:		420.270		City Palm Spring	1957	Third

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **603**
Name: **RM 53**

Monument Description: GPS Useable:
2.5" Brass disk in concrete curb

Stamping: RM 53

Center Mark:

Recovery By: RM

Date:

Location:

Southeasterly return of Frank Sinatra Dr. and
Morningside Dr

At the easterly E.C.R.

Notes:

250.48 per R.M.



NAD 83 Coordinates				Epoch:	Accuracy: Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	46	21.00000	Northing:			
Longitude	116	25	31.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	77.045	252.770	1991.5	RBF	March 1997	Second, I
NGVD29:		250.460		RBF	March 1997	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **604**
Name: **RM 45**

Monument Description: GPS Useable:
2.5" Brass disk in concrete inlet box

Stamping: RM 45

Center Mark:

Recovery By: RM

Date:

Location:

Southeasterly return at Bob Hope Dr and Frank Sinatra Dr

90 ft east of the easterly E.C.R.

Notes:

252.654 per R.M.



NAD 83 Coordinates				Epoch:		Accuracy: Scaled		Survey by:		Adj.:	
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>				CCS 83, Zone 6 Coordinates			
	Deg.	Min.	Seconds					Meters		US Survey Feet	
Latitude	33	46	21.00000	Northing:							
Longitude	116	24	24.00000	Easting:							
Ellipse Height (m):								Grid Scale:			
								Height Scale:			
								Combined Factor:			

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	77.697	254.910	1991.5	RBF	March 1997	Second, I
NGVD29:		252.640		RBF	March 1997	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **605**

Name: **PD-22**

Monument Description: GPS Useable:
Riverside Co "type C monument" in the southeast corner of concrete Gas Co vault

Stamping: PD-22

Center Mark:


Recovery By: RBF

Date: Jan 1997

Location:

At the northwest corner of Highway 111 and Date Palm Dr

Notes:



NAD 83 Coordinates				Epoch:		Accuracy: Scaled		Survey by:		Adj.:	
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>				CCS 83, Zone 6 Coordinates			
	Deg.	Min.	Seconds					Meters		US Survey Feet	
Latitude	33	46	42.00000	Northing:							
Longitude	116	27	30.00000	Easting:							
Ellipse Height (m):								Grid Scale:			
								Height Scale:			
								Combined Factor:			

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	91.988	301.800	1991.5	RBF	March 1997	Second, I
NGVD29:		299.390		Co Riverside	1963	First

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **606**

Name: **PD 23-1**

Monument Description: GPS Useable:
Iron pipe in street survey well monument

Stamping:

Center Mark:


Recovery By: RBF

Date: Jan 1997

Location:

At the intersection of Cathedral Canyo Dr and Terrace Rd

Notes:



NAD 83 Coordinates				Epoch:	Accuracy: Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	46	42.00000	Northing:			
Longitude	116	27	30.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	129.652	425.370	1991.5	RBF	March 1997	Second, I
NGVD29:		422.920		Co Riverside	Dec. 1963	First

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **607**

Name: **PD 23-4**

Monument Description: GPS Useable:

Stamping:

Center Mark:


Recovery By: RBF

Date: Jan 1997

Location:

At the intersection of Valley Vista Dr and Elna Wy

Notes:



NAD 83 Coordinates				Epoch:	Accuracy: Scaled	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>		CCS 83, Zone 6 Coordinates	
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude	33	45	56.00000	Northing:			
Longitude	116	27	30.00000	Easting:			
Ellipse Height (m):						Grid Scale:	
						Height Scale:	
						Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	196.283	643.970	1991.5	RBF	March 1997	Second, I
NGVD29:		641.550		Co Riverside	Dec. 1963	First

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **1001**
Name: **TP-1001**

Monument Description: GPS Useable:
Set concrete nail

Stamping:
Center Mark:
Recovery By: RBF Date: Mar 1997

Location:
On the easterly side of Mountain View Rd 100 ft
northerly of 20th St

0.3 ft westerly of gutter and 70 ft northerly of the
end of curb

Notes:

NAD 83 Coordinates	Epoch:	Accuracy:	Survey by:	Adj.:			
Ellipsoidal Coordinates, GRS 80		Horizontal Coordinates	CCS 83, Zone 6 Coordinates				
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude				Northing:			
Longitude				Easting:			
Ellipse Height (m):				Grid Scale:			
				Height Scale:			
				Combined Factor:			

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	231.435	759.300	1991.5	RBF	March 1997	Second, I
NGVD29:		757.020		RBF	March 1997	Second, II

City of Cathedral City

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **1002**
Name: **TP-1002**

Monument Description: GPS Useable:
Set concrete nail

Stamping:
Center Mark:
Recovery By: RBF **Date:** Mar 1997
Location:
On the top of curb at the southeasterly corner of
Ramon and Canyon Vista

Notes:

NAD 83 Coordinates	Epoch:	Accuracy:	Survey by:	Adj.:			
Ellipsoidal Coordinates, GRS 80		Horizontal Coordinates	CCS 83, Zone 6 Coordinates				
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude				Northing:			
Longitude				Easting:			
Ellipse Height (m):				Grid Scale:			
				Height Scale:			
				Combined Factor:			

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	110.222	361.620	1991.5	RBF	March 1997	Second, I
NGVD29:		359.280		RBF	March 1997	Second, II

City of Cathedral City

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **1003**
Name: **TP-1003**

Monument Description: GPS Useable:
Set concrete nail

Stamping:
Center Mark:
Recovery By: RBF Date: Mar 1997

Location:
On the westerly side of Mountain View 100 ft
southerly of 18th St

0.3 ft easterly of the edge of pavement

Notes:

NAD 83 Coordinates	Epoch:	Accuracy:	Survey by:	Adj.:			
Ellipsoidal Coordinates, GRS 80		Horizontal Coordinates	CCS 83, Zone 6 Coordinates				
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude				Northing:			
Longitude				Easting:			
Ellipse Height (m):				Grid Scale:			
				Height Scale:			
				Combined Factor:			

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	256.242	840.690	1991.5	RBF	March 1997	Second, I
NGVD29:		838.420		RBF	March 1997	Second, II

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **1004**
Name: **TP-1004**

Monument Description: GPS Useable:
Set concrete nail

Stamping:
Center Mark:
Recovery By: RBF **Date:** Mar 1997
Location:
On the easterly side of Landau Ave 100 ft
northerly of Tortuga St

Notes:

NAD 83 Coordinates	Epoch:	Accuracy:	Survey by:	Adj.:			
Ellipsoidal Coordinates, GRS 80		Horizontal Coordinates	CCS 83, Zone 6 Coordinates				
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude				Northing:			
Longitude				Easting:			
Ellipse Height (m):				Grid Scale:			
				Height Scale:			
				Combined Factor:			

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	121.407	398.320	1991.5	RBF	March 1997	Second, I
NGVD29:		395.990		RBF	March 1997	Second, II

City of Cathedral City

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **1005**
Name: **TP-1005**

Monument Description: GPS Useable:

Set concrete nail

Stamping:

Center Mark:

Recovery By: RBF

Date: Mar 1997

Location:

On an electrical system manhole at the
northeasterly corner of Landau and Vista Chino

50 ft northerly of Vista Chino and 100 ft easterly of
Landau

Notes:

NAD 83 Coordinates		Epoch:		Accuracy:		Survey by:		Adj.:	
Ellipsoidal Coordinates, GRS 80				Horizontal Coordinates		CCS 83, Zone 6 Coordinates			
	Deg.	Min.	Seconds			Meters		US Survey Feet	
Latitude				Northing:					
Longitude				Easting:					
Ellipse Height (m):						Grid Scale:			
						Height Scale:			
						Combined Factor:			

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	127.656	418.820	1991.5	RBF	March 1997	Second, I
NGVD29:		416.490		RBF	March 1997	Second, II

City of Cathedral City

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **1006**
Name: **TP-1006**

Monument Description: GPS Useable:
Set concrete nail

Stamping:
Center Mark:
Recovery By: RBF Date: Mar 1997

Location:
On the top of curb at the southerly return of the
southerly corner of Ventura and Verona

Notes:

NAD 83 Coordinates	Epoch:	Accuracy:	Survey by:	Adj.:		
Ellipsoidal Coordinates, GRS 80		Horizontal Coordinates	CCS 83, Zone 6 Coordinates			
	Deg.	Min.	Seconds		Meters	US Survey Feet
Latitude				Northing:		
Longitude				Easting:		
Ellipse Height (m):				Grid Scale:		
				Height Scale:		
				Combined Factor:		

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	140.071	459.550	1991.5	RBF	March 1997	Second, I
NGVD29:		457.230		RBF	March 1997	Second, II

City of Cathedral City

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **1007**
Name: **TP-1007**

Monument Description: GPS Useable:
Set concrete nail

Stamping:
Center Mark:
Recovery By: RBF **Date:** Mar 1997
Location:
On the easterly side of Date Palm Dr 100 ft
northerly of Tachevah Rd

Notes:

NAD 83 Coordinates	Epoch:	Accuracy:	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80	Horizontal Coordinates		CCS 83, Zone 6 Coordinates	
Deg.	Min.	Seconds	Meters	US Survey Feet
Latitude			Northing:	
Longitude			Easting:	
Ellipse Height (m):			Grid Scale:	
			Height Scale:	
			Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	113.306	371.740	1991.5	RBF	March 1997	Second, I
NGVD29:		369.410		RBF	March 1997	Second, II

City of Cathedral City

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **1008**
Name: **TP-1008**

Monument Description: GPS Useable:
Set concrete nail

Stamping:
Center Mark:
Recovery By: RBF Date: Mar 1997

Location:
On the top of curb on Gerald Ford Rd 900 ft
easterly of Plumley

40 ft westerly of the northwest corner of the
entrance to Mountain View Villas

Notes:

NAD 83 Coordinates				Epoch:		Accuracy:		Survey by:		Adj.:	
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>				CCS 83, Zone 6 Coordinates			
	Deg.	Min.	Seconds					Meters		US Survey Feet	
Latitude				Northing:							
Longitude				Easting:							
Ellipse Height (m):								Grid Scale:			
								Height Scale:			
								Combined Factor:			

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	88.448	290.180	1991.5	RBF	March 1997	Second, I
NGVD29:		287.810		RBF	March 1997	Second, II

City of Cathedral City

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **1009**
Name: **TP-1009**

Monument Description: GPS Useable:

Set concrete nail

Stamping:

Center Mark:

Recovery By: RBF

Date: Mar 1997

Location:

On the top of curb at the easertly return of the
northeast corner of Frank Sinatra Dr and De Vall

Notes:

NAD 83 Coordinates		Epoch:		Accuracy:		Survey by:		Adj.:	
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>			CCS 83, Zone 6 Coordinates		
	Deg.	Min.	Seconds				Meters	US Survey Feet	
Latitude				Northing:					
Longitude				Easting:					
Ellipse Height (m):							Grid Scale:		
							Height Scale:		
							Combined Factor:		

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	80.650	264.600	1991.5	RBF	March 1997	Second, I
NGVD29:		262.250		RBF	March 1997	Second, II

City of Cathedral City

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **1010**
Name: **TP-1010**

Monument Description: GPS Useable:

Existing bolt

Stamping:

Center Mark:

Recovery By: RBF

Date: Mar 1997

Location:

Northeasterly bolt of a railroad control light on the northeasterly side of S.P.R.R.

Notes:

NAD 83 Coordinates		Epoch:		Accuracy:		Survey by:		Adj.:	
Ellipsoidal Coordinates, GRS 80				<u>Horizontal Coordinates</u>			CCS 83, Zone 6 Coordinates		
	Deg.	Min.	Seconds				Meters	US Survey Feet	
Latitude				Northing:					
Longitude				Easting:					
Ellipse Height (m):							Grid Scale:		
							Height Scale:		
							Combined Factor:		

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	157.302	516.080	1991.5	RBF	March 1997	Second, I
NGVD29:		513.770		RBF	March 1997	Second, II

City of Cathedral City

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **1011**
Name: **TP-1011**

Monument Description: GPS Useable:
Set concrete nail

Stamping:
Center Mark:
Recovery By: RBF **Date:** Mar 1997
Location:
At the northeasterly corner of Highway 111 and
Cathedral Canyon Rd

Notes:

NAD 83 Coordinates	Epoch:	Accuracy:	Survey by:	Adj.:
Ellipsoidal Coordinates, GRS 80	Horizontal Coordinates		CCS 83, Zone 6 Coordinates	
Deg.	Min.	Seconds	Meters	US Survey Feet
Latitude			Northing:	
Longitude			Easting:	
Ellipse Height (m):			Grid Scale:	
			Height Scale:	
			Combined Factor:	

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	98.640	323.620	1991.5	RBF	March 1997	Second, I
NGVD29:		321.200		RBF	March 1997	Second, II

City of Cathedral City

CONTROL SURVEY MONUMENT RECOVERY

Cathedral City

Date Printed: 10/01/2003

Number: **1012**
Name: **TP-1012**

Monument Description: GPS Useable:

Set concrete nail

Stamping:

Center Mark:

Recovery By: RBF

Date: Mar 1997

Location:

On the southside of Dinah Shore Dr at the intersection with Sky Blue Water Tr

In the northeasterly corner of a concrete catchbasin

Notes:

NAD 83 Coordinates	Epoch:	Accuracy:	Survey by:	Adj.:			
Ellipsoidal Coordinates, GRS 80		Horizontal Coordinates	CCS 83, Zone 6 Coordinates				
	Deg.	Min.	Seconds			Meters	US Survey Feet
Latitude				Northing:			
Longitude				Easting:			
Ellipse Height (m):				Grid Scale:			
				Height Scale:			
				Combined Factor:			

Elevation (MSL)	Meters	Feet	Epoch Date	Survey By	Adj. Date	Accuracy
NAVD88:	99.954	327.930	1991.5	RBF	March 1997	Second, I
NGVD29:		325.560		RBF	March 1997	Second, II

City of Cathedral City